[図7]









FIG2 PRIOR ART






















平成11年 6月 9日

整理番号=9806566

提出日 特願平11-162411 頁: 1/






6Hb FIG11 602 600 N SOURCE


(N2
NH3
---) -109 -108 60/ 601A ¥ 107 111 N2,NH3 102 101 110


102 A


/




[図8]










10+4



F1G18

1000




FIG19

_	<u> </u>	À	703Fe	1 0Po	10=
-1	1	1	1012	1023	- 6
1	1	1	1035	1026	7
0	0	2	an 795 m	759	androllitta, 14
0	2	2	944	972	
<u> </u>	erist felik ver av 🕽 🚉		762	775	4
1		3	748	766	8
-3	2	1915 - 1 2 T	630	632	7
uiger 🛊 wy	2	2	630	629	7
0	0	, iii. ii	726	718	distinct 7
-1	8	3	594	584	5
	. 8	8	608	592	7
0	2	4	810	518	
-2	2	Antingerm - 🗸 📑	594	<i>5</i> 95	7
2	2		594	599	9
~1]	5	491	483	9
	788.61.7.8 2 78	. 5	808	489	8
-8	3	8	505	535	14
8	8	8	491	533	24
0		4	508	499	9

FIG 20

150

